310-4
JAN 67

TM 11-5820-501-25P-1

mt 1-13-66

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

EMFO LIBRARY

8/0
Jan67

ORGANIZATIONAL,

DS, GS, AND DEPOT MAINTENANCE

REPAIR PARTS AND SPECIAL TOOL LISTS

ANTENNA GROUP AN/FRA-53A

EMFO LIBRARY

HEADQUARTERS, DEPARTMENT OF THE ARMY

NOVEMBER 1966

TECHNICAL MANUAL
No. 11-5820-501-25P-1

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D. C., *2 November 1966*

Organizational, DS, GS, and Depot Maintenance Repair Parts and Special Tool Lists

ANTENNA GROUP AN/FRA-53A

		Paragraph	Page
SECTION I.	INTRODUCTION		
	Scope	1	1
	General	2	1
	Explanation of columns	3	2
	Reference publications	4	3
	Location of repair parts	5	4
	Federal supply codes	6	4
	Reporting of equipment manual improvements	7	4
II.	PRESCRIBED LOAD ALLOWANCE LIST		5
III.	REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE		6
IV.	REPAIR PARTS, DS, GS, AND DEPOT MAINTENANCE		7
V.	FEDERAL STOCK NUMBER INDEX		56

Section I. INTRODUCTION

1. Scope

This manual contains a list of repair parts and special tools required for the performance of organizational maintenance and a list covering the corresponding requirements for direct support, general support, and depot maintenance for Antenna Group AN/FRA-53A.

2. General

This repair parts and special tools list is divided into four principal parts:

a. Prescribed Load Allowance List (PLA) — Section II. The PLA is a consolidated listing of repair parts allocated for initial stock-

EMFO LIBRARY

age at organizational maintenance level. This is a mandatory minimum stockage allowance

b. Repair Parts for Organizational Maintenance — Section III. Repair parts authorized for organizational maintenance is included in this section.

c. Repair Parts for Direct Support, General Support, and Depot Maintenance — Section IV. This chart lists repair parts authorized for maintenance performance at direct support, general support and depot levels.

d. Federal Stock Number Cross-Reference Index — Section V. This is a cross-reference index of Federal stock numbers to illustrations by figure and item number.

3. Explanation of Columns

An explanation of the columns in sections III through IV is given below.

a. Source, Maintenance and Recoverability Codes, Column 1, Sections III and IV.

(1) *Source code, column 1a.* The selection status and source for the listed item is noted here. Source codes and their explanations are as follows:

Code	Explanation
P—	Applies to repair parts that are stocked in or supplied from the GSA/DSA, or Army supply system, and authorized for use at indicated maintenance categories.
A—	Applies to assemblies that are not procured or stocked as such but are made up of two or more units, each of which carry individual stock numbers and descriptions and are procured and stocked and can be assembled by units at indicated maintenance categories.
X1—	Applies to repair parts which are not procured or stocked, the requirement for which will be supplied by the use of next higher assembly or component.
X2—	Applies to repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain them through cannibalization; if not obtainable through cannibalization, such repair parts will be requisitioned with supporting justification through normal supply channels.
C—	Applies to repair parts authorized for local procurement. If not obtainable from local procurement, such repair parts will be requisitioned through normal supply channels with a supporting statement of nonavailability from local procurement.

(2) *Maintenance code, column 1b.* The lowest category of maintenance authorized to install the listed item is noted here.

Code	Explanation
O	Organization maintenance
F	Direct support maintenance
H	General support maintenance

(3) *Recoverability code, column 1c.* The information in this column indicates whether unserviceable items should be returned for recovery or salvage. Recoverability codes and their explanations are as follows:

Note. When there is no code indicated in the recoverability column, the part will be considered expendable. The end item is nonexpendable.

Code	Explanation
R—	Applies to repair parts and assemblies which are economically repairable at DSU and GSU activities and normally are furnished by supply on an exchange basis.

b. Federal Stock Number, Column 1, Section II; Column 2, Sections III and IV. The Federal stock number for the item is indicated in this column.

c. Description, Column 2, Section II; Column 3, Sections III and IV. The sequence number, Federal item name, a five-digit manufacturer's code, an indenture code, and a part number are included in this column. For subsequent appearances of the same item, the manufacturer's code and part number are omitted. The words "same as" followed by the sequence number assigned to the item when it first appeared in the list will follow the item name, e.g., "RESISTOR, FIXED, COMPOSITION: SAME AS A298." The indenture codes indicate the end item, the assemblies, and the component parts. Identical codes are parts of the preceding higher code. An asterisk in the indenture code column indicates attaching hardware.

d. Unit of Issue, Column 4, Sections III and IV. The unit used as a basis of issue (e.g. ea, pr, ft, yd, etc.) is noted in this column.

e. Quantity Incorporated in Unit Pack, Column 4, Section II; Column 5, Sections III and IV. Not used.

f. Quantity Incorporated in Unit, Column 6, Sections III and IV. The quantity of repair parts in an assembly is given in this column. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF."

g. Maintenance Allowance, Column 3, Section II; Column 7, Sections III and IV.

(1) The allowance columns are divided into subcolumns. The total quantity of items authorized for the number of equipments supported is indicated in each subcolumn opposite the first appearance of each item. Subsequent appearances of the same item will have no entry in the allowance columns but will have a reference, in the description column, to the first appearance of the item. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for organizational level of maintenance represents one initial prescribed load for a 15-day period for the number of equipments supported. Units and organizations authorized additional prescribed loads will multiply the number of prescribed loads authorized by the quantity of repair parts reflected in the appropriate density column to obtain the total quantity of repair parts authorized.

(3) Subsequent changes to organizational allowances will be limited as follows: No change in the range of items is authorized. If additional items are considered necessary, recommendation should be forwarded to Commanding General, U. S. Army Electronics Command, ATTN: AMSEL-MR-NMP-CM, Fort Monmouth, N. J., 07703, for exception or revision to the allowance list. Revisions to the range of items authorized will be made by the USA ECOM national maintenance point based upon engineering experience, demand data, or TAERS information.

(4) The quantitative allowances for DS/GS levels of maintenance will reprresent intial stockage for a 30-day period for the number of equipments supported.

h. One-Year Allowances Per 100 Equipments/Contingency Planning Purposes, Column 8, Section IV. Opposite the first appearance of each item, the total quantity required for distribution and contingency planning purposes is indicated. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for 1 year.

i. Illustration, Column 8, Section III; Column 10, Section IV.

(1) *Figure number, columns 8a and 10a.* Not used.

(2) *Item or symbol number, columns 8b and 10b.* These columns list the reference symbols used for identification of the items.

j. Depot Maintenance Allowance per 100 Equipments, Column 9, Section IV. This column indicates the total quantity of each item authorized depot maintenance for 100 equipments. Subsequent appearances of the same item will have no entry in this column, but will have a reference in the description column to the first appearance of the item.

4. Reference Publications

The following publication pertains to Antenna Group AN/FRA-53A and its components.

TM 11-5820-501-12-1	Organizational Maintenance Manual: Antenna Group AN/FRA-53A

5. Location of Repair Parts

a. When the Federal stock number is unknown, follow the procedures given in (1) and (2) below.

(1) If the item or symbol number is available locate the item by scrutiny of columns 8b and 10b of the repair parts list.

(2) If an item or symbol number is not available, locate the item in the repair parts list by checking the description column.

b. When the Federal stock number is known, follow the procedures given in (1) and (2) below.

(1) Use the index of Federal stock numbers to item numbers and locate the Federal stock number. The Federal stock numbers are listed in numerical sequence and are cross-referenced to the item number.

(2) Use the repair part listing to find the repair part and item numbers as noted in the index of Federal stock numbers.

6. Federal Supply Codes

This paragraph lists the Federal supply code and the associated manufacturer's name.

Code number	*Manufacturer's name*
00656	Aerovox Corp.
02563	Hanler Corp.
02987	Bendix Corp Montrose Division
03743	Appleton Electric Co.
04025	Preformed Line Products Co.
04569	Natural Wire and Cable Co., Inc.
06170	E. A. Baumback Mfg Co.
07125	Bethlehem Steel Co.
11292	Central Steel and Wire Co.
13743	Columbus McKinnon Corp.
14125	Rex Chainbelt, Inc.
14280	Square D Co.
15536	Hy-Gain Electronic Mfg Co.
21335	Fafnir Bearing Co.
21444	Falk Corp.
21760	Federal Bearings Co., Inc.
27610	Harvey Aluminum, Inc.
36251	Lincoln Engineering Div of McNeil Machine and Engineering Co.
39428	McMaster Carr Supply Co.
43991	Norma-Hoffmann Bearings Corp.
44655	Ohmite Mfg Co.
53786	Rex Chainbelt Inc Construction Machinery Div.
66295	Wittek Mfg Co.
70485	Atlantic India Rubber Works, Inc.
70903	Belden Mfg Co.
71282	Budd Co.
71400	Bussmann Mfg Division of McGraw-Edison Co.
71739	Chicago Hardware Foundry Co.
71785	Cinch Mfg Co and Howard B Jones Div.
72619	Dialight Corp.
73559	Carling Electric, Inc.
73569	A. B. Chance Co.
73957	Groov-Pin Corp.
74970	Johnson, E. F. Co.
75282	Killark Electric Mfg Co.
76055	Mallory Controls Div of P. R. Mallory and Co., Inc.
76786	North and Judd Mfg Co.
77342	American Machine and Foundry Co.
78488	Stackpole Carbon Co.
80775	Colorado Fuel and Iron Corp.
81596	National Seal Division of Federal Mogul-Bower Bearings, Inc.
86052	Roebling Wire Rope
89020	Buchanon Electrical Products Corp.
92940	Doerr Electric Corp.
94310	Tru-Ohm Products Memcor Components Div.
94452	Berkley and Co.
94661	Prodelin, Inc.
96256	Thordarson-Meissner, Inc., Electronic Center

7. Reporting of Equipment Manual Improvements

Report of errors, omissions, and recommendations for improving this manual by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to DA Publications) and forwarded direct to Commanding General, U. S. Army Electronics Command, ATTN: AMSEL-MR-NMP-AD, Fort Monmouth, N. J., 07703.

PRESCRIBED LOAD ALLOWANCE

(1) FEDERAL STOCK NUMBER	(2) DESCRIPTION	(3) 15—DAY ORG. MAINT. ALLOWANCE (A) 1—5	(B) 6—20	(C) 21—50	(D) 51-100	(4) QTY INC IN UN PK
5920-010-6652	FUSE: 71400; AGC-3AMP	2	2	3	6	
5920-296-0433	FUSE; 8 AMP: 71400; FRN-8	2	2	4	8	
5960-949-7032	TUBE, RECTIFIER: 6X5GT; GENERAL ELEC	2	2	3	6	
6240-223-9100	LAMP: 15536; 717617	*	2	2	3	

SECTION III. REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 15 DAY ORG. MAINT. ALW. (A) 1-5	(B) 6-20	(C) 21-50	(D) 51-100	(8) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
A	F	R	5820-896-3866							A001 ANTENNA GROUP AN/FRA-53A: Provides a rotable logarithmically perodic antenna for transmitting and receiving signals up to 50 kw with a frequency coverage of 6.5 to 40 mc; 15536; LP-6/40RS	ea								
P	0		5920-296-0433							A673 FUSE; 8 AMP: 71400; FRN-8	ea		3	2	2	4	8		2F1
P	0		5920-010-6652							A730 FUSE: 71400; AGC-3AMP	ea		2	2	2	3	6		2A4F1
P	0		6240-223-9100							A731 LAMP: 15536; 717617	ea		1	*	2	2	3		2A4DS1
P	0		5960-949-7032							A739 TUBE, RECTIFIER: 6X5GT; GENERAL ELEC	ea		1	2	2	3	6		2A4A6

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION		UNIT OF ISSUE (4)	QTY INC IN UN PK (5)	QTY INC IN UNIT (6)	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
A	F	R	5820-896-3866							A	A001	ANTENNA GROUP AN/FRA-53A: Provides a rotatable logarithmically perodic antenna for transmitting and receiving signals up to 50 kw with a frequency coverage of 6.5 to 40 mc, 15536; LP-6/40RS	ea												
A	F									B	A002	ANTENNA 50 KW: 15536; LP-1003	ea		1									B1
A	F									C	A003	ELEMENT ASSEMBLY NO 1: 15536; 877502	ea		1									1A1
P	F		5306-950-1603							*	A004	U-BOLT: 15536; 371300	ea		8	*	2	2	2	2	2	27	16		1A1H1
X2	F									*	A005	WASHER, LOCK: 15536; 562961	ea		175										1A1H2
X2	F									*	A006	NUT: 15536; 554099	ea		16										1A1H3
P	F		5985-949-4399							D	A007	TUBE, ASSEMBLY: 15536; 877068	ea		2	*	2	2	*	*	2	13	6		1A1A1
X2	F									*	A008	BOLT: 15536; 505751	ea		32										1A1A1H1
X2	F									*	A009	WASHER LOCK: 15536; 565697	ea		120										1A1A1H2
X2	F									*	A010	NUT, CROWN: 15536; 554737	ea		84										1A1A1H3
X1	F									E	A011	BALL, CORONA: 15536; 167633	ea		8										1A1A1E1
X1	F									E	A012	PIN, ROLL: 15536; 592297	ea		7										1A1A1E1H1
X1	F									E	A013	TUBE: 15536; 177483	ea		1										1A1A1E3
A	F									D	A014	INSULATOR ASSEMBLY: 15536; 877069	ea		1										1A1A2

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	(3) DESCRIPTION CD IND		(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									E	A015 TUBING: 15536; 171335	ea		2										1A1A2E1
X2	F									*	A016 SCREW: 15536; 507063	ea		8										1A1A2E1H1
X2	F									E	A019 BUSHING: 15536; 177064	ea		8										1A1A2E2
A	F									C	A020 ELEMENT ASSEMBLY NO. 2: 15536; 877501	ea		1										1A2
			5306-950-1603							*	A021 U-BOLT: SAME AS A004	ea		2										1A2H1
										*	A022 WASHER, LOCK: SAME AS A005	ea		4										1A2H2
										*	A023 NUT: SAME AS A006	ea		4										1A2H3
P	F		5985-949-4038							D	A024 TUBE ASSEMBLY: 15536; 877058	ea		14	2	2	3	2	2	2	46	28		1A2A1
										*	A025 BOLT: SAME AS A008	ea		4										1A2A1H1
										*	A026 WASHER LOCK: SAME AS A009	ea		10										1A2A1H2
										*	A027 NUT CROWN: SAME AS A010	ea		10										1A2A1H3
										E	A028 BALL CORONA: SAME AS A011	ea		1										1A2A1E1
										E	A029 PIN ROLL: SAME AS A012	ea		1										1A2A1E1H1
X1	F									E	A030 TUBE: 15536; 177482	ea		1										1A2A1E2
P	F		5985-949-4046							D	A031 TUBE: 15536; 177059	ea		2	*	*	2	*	*	2	10	4		1A2A2
X2	F									*	A032 BOLT: 15536; 504069	ea		24										1A2A2H1
A	F									D	A034 INSULATOR ASSEMBLY: 15536; 877061	ea		2										1A2A3

(1) (A) SOURCE CD	(1) (B) MAINT. C D	(1) (C) REC. CODE	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	(3) DESCRIPTION MODEL 1	2	3	4	5	6	CD IND		(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
				AN/FRA-53A (continued)																				
P	F		5985-949-4045							E	A035 TUBE FOR ELEMENT NO. 2 AND 3: 15536; 177476	ea		4	*	2	2	*	2	2	19	12		1A2A3E1
										*	A036 SCREW: SAME AS A016	ea		2										1A2A3E1H1
										E	A039 BUSHING: SAME AS A019	ea		2										1A2A3E2
X2	F									E	A040 TUBE, INSTALLATION: 15536; 477057	ea		3										1A2A3E3
A	F									C	A041 ELEMENT ASSEMBLY NO. 3: 15536; 877114	ea		1										1A3
			5985-949-4038							D	A042 TUBE ASSEMBLY: SAME AS A024	ea		2										1A3A1
										*	A043 BOLT: SAME AS A008	ea		4										1A3A1H1
										*	A044 WASHER LOCK: SAME AS A009	ea		20										1A3A1H2
										*	A045 NUT CROWN: SAME AS A010	ea		8										1A3A1H3
										E	A046 BALL CORONA: SAME AS A011	ea		1										1A3A1E1
										E	A047 PIN, ROLL: SAME AS A012	ea		1										1A3A1E2
										E	A048 TUBE: SAME AS A030	ea		1										1A3A1E3
P	F		5985-949-4064							D	A049 TUBE FOR ELEMENT NO. 3: 15536; 177478	ea		2	*	2	2	*	*	2	13	6		1A3A2
										*	A050 BOLT: SAME AS A032	ea		4										1A3A2H1
										E	A053 INSULATOR ASSEMBLY: SAME AS A034	ea		1										1A3A2E1
			5985-949-4055							E	A054 TUBE FOR ELEMENT NO. 2 AND 3: SAME AS A035	ea		2										1A3A2E2

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)														
										*	A055 SCREW: SAME AS A016	ea		2										1A3A2E2H1
										E	A058 BUSHING: SAME AS A019	ea		2										1A3A2E3
										E	A059 TUBE INSTALLATION: SAME AS A040	ea		1										1A3A2E4
A	F									C	A060 TUBE ASSEMBLY: 15536; 873958	ea		1										1A4
			5985-949-4038							D	A061 TUBE ASSEMBLY: SAME AS A024	ea		2										1A4A1
X2	F									*	A062 BOLT: 15536; 505751	ea		12										1A4A1H1
										*	A063 WASHER, LOCK: SAME AS A009	ea		12										1A4A1H2
										*	A064 NUT, CROWN: SAME AS A010	ea		8										1A4A1H3
										E	A065 BALL, CORONA: SAME AS A011	ea		1										1A4A1E1
										E	A066 PIN, ROLL: SAME AS A012	ea		1										1A4A1E2
										E	A067 TUBE: SAME AS A030	ea		1										1A4A1E2
P	F		5985-949-3973							D	A068 TUBE FOR ELEMENT NO. 3: 15536; 177477	ea		10	2	2	3	2	2	2	33	20		1A4A2
										*	A069 BOLT: SAME AS A032	ea		4										1A4A2H1
A	F									C	A072 ELEMENT ASSEMBLY NO. 4: 15536; 877054	ea		1										1A5
			5306-950-1603							*	A073 U-BOLT: SAME AS A004	ea		2										1A5H1
										*	A074 WASHER, LOCK: SAME AS A005	ea		4										1A5H2
										C	A075 NUT: SAME AS A006	ea		4										1A5H3

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
P	F		5985-949-4427							D	A076 TUBE FOR ELEMENT NO. 6: 15536; 177473	ea		2	*	2	2	*	*	2	13	6		1A5A1
										*	A077 SCREW: SAME AS A016	ea		2										1A5A1H1
										*	A078 WASHER, LOCK: SAME AS A009	ea		2										1A5A1H2
										*	A079 NUT, CROWN: SAME AS A010	ea		2										1A5A1H3
										D	A080 BUSHING: SAME AS A019	ea		2										1A5A2
										D	A081 TUBE INSTALLATION: SAME AS A040	ea		1										1A5A3
A	F									C	A082 TUBE ASSEMBLY: 15536; 873957	ea		2										1A6
			5985-949-4038							D	A083 TUBE ASSEMBLY: SAME AS A024	ea		2										1A6A1
										*	A084 BOLT: SAME AS A008	ea		4										1A6A1H1
										*	A085 WASHER, LOCK: SAME AS A009	ea		12										1A6A1H2
										*	A086 NUT, CROWN: SAME AS A010	ea		8										1A6A1H3
										E	A087 BALL, CORONA: SAME AS A011	ea		1										1A6A1E1
										E	A088 PIN ROLL: SAME AS A012	ea		1										1A6A1EH1
										E	A089 TUBE: SAME AS A030	ea		1										1A6A1E2
			5985-949-3973							D	A090 TUBE: SAME AS A068	ea		2										1A6A2
										*	A091 BOLT: SAME AS A032	ea		4										1A6A2H1

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
P	F		5985-949-3989							D	A094 TUBE FOR ELEMENT NO. 5: 15536; 177474	ea		2	*	2	2	*	*	2	13	6		1A6A3
A	F									D	A095 INSULATOR ASSEMBLY: 15536; 877053	ea		1										1A6A4
			5306-950-1603							*	A096 U-BOLT: SAME AS A004	ea		2										1A6A4H1
										*	A097 WASHER, LOCK: SAME AS A005	ea		4										1A6A4H2
										*	A098 NUT: SAME AS A006	ea		4										1A6A4H3
P	F		5985-949-3920							E	A099 TUBE FOR ELEMENT NO. 5: 15536; 177468	ea		2	*	2	2	*	*	2	13	6		1A6A4E1
X2	F									*	A100 SCREW: 15536; 505736	ea		2										1A6A4E1H1
X2	F									*	A102 NUT, CROWN: 15536; 556659	ea		10										1A6A4E1H3
X2	F									E	A103 BUSHING: 15536; 177051	ea		2										1A6A4E2
X2	F									E	A104 TUBE INSTALLATION: 15536; 477052	ea		1										1A6A4E3
A	F									C	A105 TUBE ASSEMBLY: 15536; 873956	ea		1										1A7
			5985-949-4038							D	A106 TUBE ASSEMBLY: SAME AS A024	ea		2										1A7A1
										*	A107 BOLT: SAME AS A008	ea		4										1A7A1H1
										*	A108 WASHER, LOCK: SAME AS A009	ea		16										1A7A1H2
										*	A109 NUT, CROWN: SAME AS A010	ea		12										1A7A1H3
										E	A110 BALL CORONA: SAME AS A011	ea		1										1A7A1E1
										E	A111 PIN ROLL: SAME AS A012	ea		1										1A7A1E2

(I) SOURCE CD (A)	(I) MAINT. CD (B)	(I) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	UNIT OF ISSUE (4)	QTY INC IN UN PK (5)	QTY INC IN UNIT (6)	30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP. PL.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
										E	A112 TUBE: SAME AS A030	ea		1										1A7A1E3
			5985-949-3973							D	A113 TUBE: SAME AS A068	ea		2										1A7A2
										*	A114 BOLT: SAME AS A032	ea		4										1A7A2H1
P	F		5985-949-4499							D	A117 TUBE FOR ELEMENT NO. 5: 15536; 177471	ea		6	*	2	2	*	2	2	19	12		1A7A3
X2	F									*	A118 BOLT: 15536; 505749	ea		12										1A7A3H1
P	F		5985-949-4489							D	A121 TUBE FOR ELEMENT NO. 6: 15536; 177469	ea		2	*	2	2	*	*	2	13	6		1A7A4
A	F									C	A122 INSULATOR ASSEMBLY: 15536; 877048	ea		1										1A8
P	F		5306-950-1602							*	A123 U-BOLT: 15536; 371303	ea		8	*	2	2	2	2	2	27	16		1A8H1
X2	F									*	A124 NUT: 15536; 555747	ea		20										1A8H2
X2	F									*	A125 WASHER: 15536; 555748	ea		50										1A8H3
P	F		5985-949-4478							D	A126 TUBE FOR ELEMENT NO. 6: 15536; 177463	ea		2	*	2	2	*	*	2	13	6		1A8A1
X2	F									*	A127 BOLT: 15536; 505734	ea		2										1A8A1H1
										D	A128 WASHER, LOCK: SAME AS A005	ea		2										1A8A1H2
										*	A129 NUT: SAME AS A102	ea		2										1A8A1H3
X2	F									D	A130 BUSHING: 15536; 177043	ea		2										1A8A2
X2	F									D	A131 TUBE, INSTALLATION: 15536; 477044	ea		1										1A8A3

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)														
A	F									C	A132 TUBE ASSEMBLY: 15536; 873955	ea		2										1A9
			5985-949-4038							D	A133 TUBE ASSEMBLY: SAME AS A024	ea		2										1A9A1
										*	A134 BOLT: SAME AS A062	ea		4										1A9A1H1
										*	A135 WASHER, LOCK: SAME AS A009	ea		20										1A9A1H2
										*	A136 NUT: SAME AS A010	ea		16										1A9A1H3
										E	A137 BALL, CORONA: SAME AS A011	ea		1										1A9A1E1
										E	A138 PIN, ROLL: SAME AS A012	ea		1										1A9A1E2
										F	A139 TUBE: SAME AS A030	ea		1										1A9A1E3
			5985-949-3973							D	A140 TUBE: SAME AS A068	ea		2										1A9A2
										*	A141 BOLT: SAME AS A032	ea		4										1A9A2H1
			5985-949-4499							D	A144 TUBE: SAME AS A117	ea		2										1A9A3
										*	A145 BOLT: SAME AS A118	ea		4										1A9A3H1
P	F		5985-949-4323							D	A148 TUBE FOR ELEMENT NO. 6: 15536; 177467	ea		4	*	2	2	*	2	2	19	10		1A9A4
X2	F									*	A149 BOLT: 15536; 504738	ea		20										1A9A4H1
P	F		5985-949-4322							D	A152 TUBE FOR ELEMENT NO. 7: 15536; 177466	ea		2	*	2	2	*	*	2	13	6		1A9A5
A	F									C	A153 TUBE INSTALLATION: 15536; 877494	ea		1										1A10
			5306-950-1602							*	A154 U-BOLT: SAME AS A123	ea		2										1A10H1
										*	A155 WASHER, LOCK: SAME AS A125	ea		6										1A10H2

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	(3) DESCRIPTION IND CD			(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)														
										*	A156	NUT: SAME AS A124	ea		4										1A10H3
P	F		5985-949-4318							D	A157	TUBE FOR ELEMENT NO. 7: 15536; 177462	ea		2	*	2	2	*	*	2	13	6		1A10A1
X2	F									*	A158	BOLT: 15536; 506968	ea		14										1A10A1H1
X2	F									*	A160	NUT, CROWN: 15536; 556963	ea		38										1A10A1H3
X2	F									D	A161	BUSHING: 15536; 171136	ea		4										1A10A2
X2	F									D	A162	TUBE INSTALLATION: 15536; 477042	ea		2										1A10A3
A	F									C	A163	TUBE ASSEMBLY: 15536; 873954	ea		7										1A11
			5985-949-4038							D	A164	TUBE ASSEMBLY: SAME AS A024	ea		2										1A11A1
										*	A165	BOLT: SAME AS A008	ea		4										1A11A1H1
										*	A166	WASHER, LOCK: SAME AS A009	ea		18										1A11A1H2
										*	A167	NUT, CROWN: SAME AS A010	ea		14										1A11A1H3
										E	A168	BALL, CORONA: SAME AS A011	ea		1										1A11A1E1
										E	A169	PIN, ROLL: SAME AS A012	ea		1										1A11A1E2
										E	A170	TUBE: SAME AS A030	ea		1										1A11A1E3
			5985-949-3973							D	A171	TUBE: SAME AS A068	ea		2										1A11A2
										*	A172	BOLT: SAME AS A032	ea		2										1A11A2H1
			5985-949-4499							D	A175	TUBE: SAME AS A117	ea		2										1A11A3
										*	A176	BOLT: SAME AS A118	ea		4										1A11A3H1

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
			5985-949-4323							D	A179 TUBE: SAME AS A148	ea		2										1A11A4
										D	A180 BOLT: SAME AS A149	ea		4										1A11A4H1
P	F		5985-949-4238							D	A183 TUBE: 15536; 177464	ea		2	*	2	2	*	*	2	13	6		1A11A5
A	F									C	A184 TUBE INSTALLATION: 15536; 877493	ea		1										1A12
			5306-950-1602							*	A185 U-BOLT: SAME AS A123	ea		2										1A12H1
										*	A186 WASHER, LOCK: SAME AS A125	ea		6										1A12H2
										*	A187 NUT: SAME AS A124	ea		4										1A12H3
P	F		5985-949-4317							D	A188 TUBE FOR ELEMENT NO. 8: 15536; 177461	ea		2	*	2	2	*	*	2	13	6		1A12A1
										*	A189 BOLT: SAME AS A158	ea		2										1A12A1H1
										*	A191 NUT, CROWN: SAME AS A160	ea		2										1A12A1H3
										D	A192 BUSHING: SAME AS A161	ea		2										1A12A2
										D	A193 TUBE INSTALLATION: SAME AS A162	ea		2										1A12A3
A	F									C	A194 TUBE INSTALLATION: 15536; 877492	ea		1										1A13
			5306-950-1602							*	A195 U-BOLT: SAME AS A123	ea		2										1A13H1
										*	A196 WASHER LOCK: SAME AS A125	ea		4										1A13H2
										*	A197 NUT: SAME AS A124	ea		4										1A13H3
P	F		5985-949-4313							D	A198 TUBE FOR ELEMENT NO. 9: 15536; 177459	ea		2	*	2	2	*	*	2	13	6		1A13A1

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									*	A199 BOLT: 15536; 505737	ea		44										1A13A1H1
										*	A200 WASHER LOCK: SAME AS A005	ea		4										1A13A1H2
										*	A201 NUT, CROWN: SAME AS A102	ea		4										1A13A1H3
P	F		5985-949-4084							D	A202 TUBE FOR ELEMENT NO. 9: 15536; 177457	ea		2	*	2	2	*	*	2	13	6		1A13A2
										*	A203 BOLT: SAME AS A158	ea		2										1A13A2H1
										*	A204 WASHER, LOCK: SAME AS A125	ea		2										1A13A2H2
										*	A205 NUT, CROWN: SAME AS A160	ea		2										1A13A2H3
X2	H									D	A206 BUSHING: 15536; 177041	ea		2										1A13A3
X2	F									D	A207 TUBE, INSTALLATION: 15536; 477039	ea		1										1A13A4
A	F									C	A208 TUBE, INSTALLATION: 15536; 877491	ea		1										1A14
P	F		5306-950-1570							C	A209 U-BOLT: 15536; 371305	ea		2	*	*	?	*	*	2	10	4		1A14H1
										*	A210 WASHER, LOCK: SAME AS A125	ea		10										1A14H2
										*	A211 NUT, CROWN: SAME AS A124	ea		4										1A14H3
P	F		5985-949-4066							D	A212 TUBE, FOR ELEMENT NO. 10: 15536; 177456	ea		2	*	2	2	*	*	2	13	6		1A14A1
X2	F									*	A213 BOLT: 15536; 506964	ea		8										1A14A1H1
										D	A215 NUT, CROWN: SAME AS A160	ea		4										1A14A1H3
P	F		5985-949-4039							D	A216 TUBE FOR ELEMENT NO. 10: 15536; 177453	ea		2	*	2	2	*	*	2	13	6		1A14A2
X2	F									*	A217 BOLT: 15536; 506969	ea		2										1A14A2H1

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
										*	A219 NUT, CROWN: SAME AS A160	ea		2										1A14A2H3
X2	F									D	A220 BUSHING: 15536; 177038	ea		2										1A14A3
X2	F									D	A221 TUBE, INSTALLATION: 15536; 477062	ea		1										1A14A4
A	F									C	A222 TUBE, INSTALLATION: 15536; 877489	ea		1										1A15
P	F		5306-950-1551							C	A223 U-BOLT: 15536; 371308	ea		2	*	*	2	*	*	2	10	4		1A15H1
X2	F									*	A224 WASHER LOCK: 15536; 565696	ea		162										1A15H2
X2	F									*	A225 NUT, CROWN: 15536; 555694	ea		128										1A15H3
P	F		5985-949-4045							D	A226 TUBE FOR ELEMENT NO. 10: 15536; 177451	ea		4	*	2	2	*	*	2	16	8		1A15A1
X2	F									*	A227 BOLT: 15536; 506966	ea		8										1A15A1H2
										*	A228 WASHER, LOCK: SAME AS A125	ea		4										1A15A1H2
										*	A229 NUT, CROWN: SAME AS A160	ea		8										1A15A1H3
P	F		5985-949-4136							D	A230 TUBE FOR ELEMENT NO. 11: 15536; 177449	ea		2	*	2	2	*	*	2	13	6		1A15A2
										*	A231 BOLT: SAME AS A158	ea		4										1A15A2H1
										*	A233 NUT, CROWN: SAME AS A160	ea		6										1A15A2H3
P	F		5985-930-4698							D	A234 TUBE FOR ELEMENT NO. 11: 15536; 177447	ea		2	*	2	2	*	*	2	13	6		1A15A3
X2	F									*	A235 BOLT: 15536; 506953	ea		2										1A15A3H1
										*	A236 WASHER, LOCK: SAME AS A125	ea		2										1A15A3H2
X2	F									D	A238 BUSHING: 15536; 177038	ea		2										1A15A4

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION MODEL 1	2	3	4	5	6	IND CD			(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
				AN/FRA-53A (continued)																					
X2	F									D	A239	TUBE, INSTALLATION: 15536; 477036	ea		1										1A15A5
A	F									C	A240	TUBE, INSTALLATION: 15536; 873950	ea		3										1A15
P	F		5985-930-2308							D	A241	TUBE FOR ELEMENT NO. 11: 15536; 177458	ea		2	*	2	2	*	*	2	13	6		1A16A1
										*	A242	BOLT: SAME AS A199	ea		4										1A16A1H1
										*	A243	WASHER, LOCK: SAME AS A005	ea		4										1A16A1H2
										*	A244	NUT, CROWN: SAME AS A102	ea		4										1A16A1H3
P	F		5985-949-4316							D	A245	TUBE FOR ELEMENT NO. 11: 15536; 177454	ea		2	*	2	2	*	*	2	13	6		1A16A2
										*	A246	BOLT: SAME AS A213	ea		4										1A16A2H1
										*	A247	WASHER, LOCK: SAME AS A125	ea		4										1A16A2H2
										*	A248	NUT, CROWN: SAME AS A160	ea		12										1A16A2H3
			5985-949-4045							D	A249	TUBE: SAME AS A226	ea		2										1A16A3
										*	A250	BOLT: SAME AS A227	ea		4										1A16A3H1
										*	A251	WASHER, LOCK: SAME AS A125	ea		8										1A16A3H2
P	F		5985-949-4315							D	A253	TUBE FOR ELEMENT NO. 11: 15536; 177448	ea		2	*	2	2	*	*	2	13	6		1A16A4
										*	A254	BOLT: SAME AS A158	ea		4										1A16A4H1
P	F		5985-949-4326							D	A257	TUBE FOR ELEMENT NO. 11: 15536; 177446	ea		2	*	2	2	*	*	2	13	6		1A16A5
A	F									C	A258	TUBE, INSTALLATION: 15536; 877488	ea		1										1A17

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP. PL.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
P	F		5306-950-1556							C	A259 U-BOLT: 15536; 371310	ea		2	*	*	2	*	*	2	10	4		1A17H1
										*	A260 WASHER, LOCK: SAME AS A224	ea		10										1A17H2
										*	A261 NUT: SAME AS A225	ea		4										1A17H3
P	F		5985-949-4300							D	A262 TUBE FOR ELEMENT NO. 12: 15536; 177444	ea		2	*	2	2	*	*	2	13	6		1A17A1
X2	F									*	A263 BOLT: 15536; 506974	ea		12										1A17A1H1
X2	F									*	A265 NUT, CROWN: 15536; 556961	ea		34										1A17A1H3
P	F		5985-949-4308							D	A266 TUBE FOR ELEMENT NO. 12: 15536; 177441	ea		2	*	2	2	*	*	2	13	6		1A17A2
X2	F									*	A267 BOLT: 15536; 509598	ea		2										1A17A2H1
X2	F									D	A270 BUSHING: 15536; 177032	ea		6										1A17A3
X2	F									C	A271 TUBE, INSTALLATION: 15536; 477033	ea		1										1A17A4
A	F									C	A272 TUBE, ELEMENT: 15536; 873948	ea		2										1A18
P	F		5985-949-4420							D	A273 TUBE FOR ELEMENT NO. 13: 15536; 177443	ea		4	*	2	2	*	2	2	19	12		1A18A1
X2	F									*	A274 BOLT: 15536; 506972	ea		8										1A18A1H1
										*	A275 WASHER, LOCK: SAME AS A224	ea		4										1A18A1H2
										*	A276 NUT, CROWN: SAME AS A265	ea		12										1A18A1H3
P	F		5985-949-4245							D	A277 TUBE FOR ELEMENT NO. 13: 15536; 177439	ea		4	*	2	2	*	2	2	19	12		1A18A2
X2	F									*	A278 BOLT: 15536; 505893	ea		8										1A18A2H1

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	UNIT OF ISSUE (4)	QTY INC IN UN PK (5)	QTY INC IN UNIT (6)	30 DAY MAINT. ALW. (7) DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
										*	A279 WASHER, LOCK: SAME AS A224	ea		8										1A18A2H2
P	F		5985-949-4169							D	A281 TUBE FOR ELEMENT NO. 13: 15536; 177438	ea		4	*	2	2	*	2	2	19	12		1A18A3
										*	A282 BOLT: SAME AS A263	ea		4										1A18A3H1
P	F		5983-949-4221							D	A285 TUBE FOR ELEMENT NO. 13: 15536; 177436	ea		2	*	2	2	*	2	2	13	6		1A18A4
A	F									C	A286 TUBE, INSTALLATION: 15536; 877486	ea		1										1A19
P	F		5306-930-1564							*	A287 U-BOLT: 15536; 371313	ea		4	*	2	2	*	2	2	19	12		1A19H1
										*	A288 WASHER, LOCK: SAME AS A224	ea		4										1A19H2
										*	A289 NUT: SAME AS A225	ea		2										1A19H3
P	F		5985-949-4233							D	A290 TUBE FOR ELEMENT NO. 13: 15536; 177433	ea		2	*	2	2	*	*	2	13	6		1A19A1
X2	F									*	A291 BOLT: 15536; 507028	ea		4										1A19A1H1
										*	A293 NUT, CROWN: SAME AS A265	ea		2										1A19A1H3
										D	A294 BUSHING: SAME AS A270	ea		2										1A19A2
A	F									D	A295 TUBE, INSTALLATION: 15536; 477035	ea		1										1A19A3
A	F									C	A296 TUBE, ELEMENT: 15536; 873953	ea		2										1A20
			5985-949-4420							D	A297 TUBE: SAME AS A273	ea		2										1A20A1
										*	A298 BOLT: SAME AS A274	ea		4										1A20A1H1
										*	A299 WASHER, LOCK: SAME AS A224	ea		12										1A20A1H2

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)														
										*	A300 NUT, CROWN: SAME AS A265	ea		8										1A20A1H3
			5985-949-4245							D	A301 TUBE: SAME AS A277	ea		2										1A20A2
										*	A302 BOLT: SAME AS A278	ea		4										1A20A2H1
			5985-949-4169							D	A305 TUBE: SAME AS A281	ea		2										1A20A3
										*	A306 BOLT: SAME AS A263	ea		4										1A20A3H1
										*	A308 NUT, CROWN: SAME AS A265	ea		4										1A20A4
P	F		5985-949-4421							D	A309 TUBE FOR ELEMENT NO. 14: 15536; 177434	ea		2	*	2	2	*	*	2	13	6		1A20A4
A	F									C	A310 TUBE, INS: 15536; 877484	ea		1										1A21
			5306-930-1564							*	A311 U-BOLT: SAME AS A287	ea		2										1A21H1
										*	A312 WASHER, LOCK: SAME AS A224	ea		4										1A21H2
										*	A313 NUT: SAME AS A225	ea		2										1A21H3
P	F		5985-949-4036							D	A314 TUBE FOR ELEMENT NO. 14: 15536; 177432	ea		2	*	2	2	*	*	2	13	6		1A21A1
										*	A315 BOLT: SAME AS A291	ea		2										1A21A1H1
										*	A317 NUT, CROWN: SAME AS A265	ea		2										1A21A1H3
										D	A318 BUSHING: SAME AS A270	ea		2										1A21A2
X2	F									D	A319 TUBE, INS: 15536; 477031	ea		1										1A21A3
X2	F									C	A320 PLATE, WEIGHT: 15536; 377097	ea		1										1MP1
X2	F									C	A321 STRAP, TL TO ELM: 15536; 171330	ea		2										1MP2

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1-20	DS (B) 21-50	DS (C) 51-100	GS (A) 1-20	GS (B) 21-50	GS (C) 51-100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL/NUMBER
											AN/FRA-53A (continued)													
X2	F									*	A322 BOLT: 15536; 506518	ea		28										1MPH1
X2	F									*	A323 NUT, HEX: 15536; 552962	ea		100										1MPH2
X2	F									*	A324 WASHER, LOCK: SAME AS A005	ea		28										1MPH4
X2	F									C	A325 ANGLE: 15536; 171301	ea		10										1MP3
X2	F									C	A326 STRAP, TL TO ELM: 15536; 178514	ea		10										1MP4
X2	F									C	A327 STRAP, TL TO ELM: 15536; 178513	ea		8										1MP5
X2	F									C	A328 STRAP, TL TO ELM: 15536; 178512	ea		2										1MP6
X2	F									C	A329 STRAP, TL TO ELM: 15536; 178511	ea		2										1MP7
X2	F									C	A330 STRAP, TL TO ELM: 15536; 178509	ea		2										1MP8
X2	F									C	A331 STRAP, TL TO ELM: 15536; 178508	ea		2										1MP9
X2	F									C	A332 ANGLE: 15536; 171305	ea		8										1MP10
X2	F									C	A333 ANGLE: 15536; 171306	ea		2										1MP11
X2	F									C	A334 ANGLE: 15536; 171307	ea		2										1MP12
X2	F									C	A335 ANGLE: 15536; 171308	ea		4										1MP13
X2	F									C	A336 ANGLE: 15536; 171304	ea		2										1MP14
X2	F									C	A337 ELBOW, 105 DEG: 15536; 877016	ea		1										1MP15
P	F		5330-954-5475							C	A338 O-RING: 81596; 814627	ea		10	2	2	3	2	2	2	33	20		1MP16

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	(3) CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									C	A339 CONNECTOR ASSY: 15536; 878284	ea		6										1P1
X2	F									C	A340 ELBOW, 90 DEG: 15536; 877017	ea		3										1MP17
X2	F									C	A341 TL SECTION 5/S: 15536; 877424	ea		1										1A22
X2	F									D	A342 PIN, GUIDE: 15536; 378267	ea		10										1A22A1
X2	F									C	A343 TL SECTION 4/S: 15536; 877426	ea		1										1A23
										D	A344 PIN, GUIDE: SAME AS A342	ea		2										1A23A1
X2	F									C	A345 CONNECTOR ASSY: 15536; 8772228	ea		1										1P2
X2	F									*	A346 BOLT: 15536; 507873	ea		60										1P2H1
X2	F									*	A347 NUT, HEX: SAME AS A225	ea		60										1P2H2
X2	F									*	A348 WASHER, LOCK: SAME AS A224	ea		60										1P2H4
X2	F									C	A349 CLAMP, HOSE: 66295; 72H4T6	ea		6										1MP18
P	F		5985-949-7048							C	A350 TUBE ASSY: 15536; 872082	ea		1	*	*	2	*	*	2	5	2		1A24
X1	F									D	A351 VALVE: 94661; 32-150CAD	ea		1										1A24A1
										D	A352 PIN, GUIDE: SAME AS A342	ea		2										1A24A2
X2	F									C	A353 TL SECTION 3/S: 15536; 877428	ea		1										1A25
X2	F									C	A354 CLAMP, HOSE: 66295; 12S	ea		24										1A25H1
										D	A355 PIN, GUIDE: SAME AS A342	ea		2										1A25A1

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									C	A356 CONNECTOR ASSY: 15536; 878282	ea		1										1P3
X2	F									C	A357 TL SECTION 2/S: 15536; 877429	ea		1										1A26
										D	A358 PIN, GUIDE: SAME AS A342	ea		2										1A26A1
X2	F									C	A359 CONNECTOR ASSY: 15536; 878278	ea		1										1P4
X2	F									C	A360 TL SECTION 1/S: 15536; 877431	ea		1										1A27
X2	F									*	A361 NUT, FLARE: 94661; 28-150CAD	ea		2										1A27H1
										D	A362 TUBING: 15536; 171125	ea		1										1A27A1
X2	F									D	A363 ELBOW, FLARE: 94661; 29-150CAD	ea		1										1A27A2
A	F									C	A364 END SEAL ASSY: 15536; 877012	ea		1										1A28
										*	A365 NUT: SAME AS A225	ea		2										1A28H1
										*	A366 WASHER, LOCK: SAME AS A224	ea		2										1A28H2
X2	F									*	A367 WASHER: 15536; 567180	ea		3										1A28H3
X2	F									D	A368 FLANGE: 15536; 178534	ea		1										1A28A1
P	F		5970-063-0656							D	A369 INSULATOR: 74970; 135-54	ea		1	*	*	2	*	*	2	5	2		1A28A2
P	F		5330-954-5473							D	A370 O-RING: 15536; 819416	ea		1	*	*	2	*	*	2	8	3		1A28A3
X2	F									D	A371 CONNECTOR: 15536; 278533	ea		1										1A28A4
X2	F									D	A372 SPACER: 15536; 478531	ea		1										1A28A5

(1) (A) SOURCE CD	(1) (B) MAINT. CD	(1) (C) REC. CODE	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	(3) DESCRIPTION MODEL 1	2	3	4	5	6	IND CD		(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									C	A373 TL SECTION 1/U: 15536; 877423	ea		1										1A29
X2	F									*	A374 SCREW, CAP: 15536; 505691	ea		1										1A29H1
										*	A375 WASHER, LOCK: SAME AS A224	ea		1										1A29H2
X2	F									D	A376 STRAP: 15536; 177389	ea		1										1A29A1
X2	F									D	A377 PLUG: 15536; 177388	ea		1										1A29A2
X2	F									D	A378 TUBE: 15536; 171592	ea		1										1A29A3
X2	F									C	A379 SPLICE: 15536; 177408	ea		2										1MP19
X2	F									C	A380 TL SECTION 2/U; 15536; 178294	ea		1										1A30
X2	F									C	A381 TL SECTION 3/U; 15536; 877419	ea		1										1A31
P	F		5950-949-7085							D	A382 COIL ASSY: 15536; 873947	ea		1	*	*	2	*	*	2	5	2		1A31A1
										*	A383 SCREW, CAP: SAME AS A374	ea		1										1A31A1H1
										*	A384 WASHER, LOCK: SAME AS A224	ea		1										1A31A1H2
										D	A385 PLUG: SAME AS A377	ea		1										1A31A2
X2	F									D	A386 TUBE: 15536; 178293	ea		1										1A31A3
X2	F									C	A387 BLOCK SPACER: 15536; 468524	ea		18										1MP20
X2	F									*	A388 BOLT: 15536; 505737	ea		36										1MP20H1
X2	F									*	A389 NUT, HEX: SAME AS A323	ea		72										1MP20H2
X2	F									*	A390 WASHER, LOCK: SAME AS A005	ea		72										1MP20H3

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									C	A391 TL SUPPORT BLOC: 15536; 477503	ea		6										1MP21
X2	F									C	A392 TL SUPPORT BLOC: 15536; 478526	ea		1										1MP22
X2	F									C	A393 TL SUPPORT BLOC: 15536; 478527	ea		2										1MP23
X2	F									*	A394 BOLT: 15536; 502958	ea		36										1MP23H1
X2	F									*	A395 WASHER, FLAT: 15536; 566344	ea		36										1MP23H2
X2	F									C	A396 ANGLE, SUPPORT L: 15536; 178529	ea		9										1MP24
X2	F									C	A397 ANGLE, SUPPORT R: 15536; 178528	ea		9										1MP25
X2	F									C	A398 BKT, ELEM-BM: 15536; 471018	ea		10										1MP26
X2	F									C	A399 BKT, ELEM-BM: 15536; 471017	ea		6										1MP27
X2	F									C	A400 BKT, ELEM-BM: 15536; 471097	ea		2										1MP28
X2	F									C	A401 BKT, ELEM-BM: 15536; 471096	ea		1										1MP29
X2	F									C	A402 BKT, ELEM-BM: 15536; 471095	ea		1										1MP30
X2	F									C	A403 BKT, ELEM-BM: 15536; 471094	ea		2										1MP31
X2	F									C	A404 BKT, ELEM-BM: 15536; 471093	ea		2										1MP32

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									C	A405 BKT, ELEM-BM: 15536; 471091	ea		2										1MP33
X2	F									*	A406 BOLT: 15536; 507955	ea		56										1MP33H1
X2	F									*	A407 NUT, HEX: 15536; 559715	ea		56										1MP33H2
X2	F									*	A408 WASHER, LOCK: 15536; 567954	ea		56										1MP33H3
X2	F									C	A409 BRACE, VERTICAL: 15536; 177522	ea		15										1MP34
X2	F									C	A410 BRACE, VERTICAL: 15536; 177082	ea		3										1MP35
X2	F									C	A411 BRACE, DIAGONAL: 15536; 177079	ea		18										1MP36
X2	F									C	A412 BRACE, DIAGONAL: 15536; 177098	ea		75										1MP37
X2	F									C	A413 ANGLE: 15536; 178233	ea		4										1MP38
X2	F									C	A414 ANGLE, MTG: 15536; 177679	ea		2										1MP39
X2	F									*	A415 BOLT: 15536; 507957	ea		199										1MP39H1
X2	F									*	A416 BOLT: 15536; 507955	ea		32										1MP39H2
X2	F									*	A417 BOLT, EYE: 15536; 357592	ea		4										1MP39H3
X2	F									*	A418 WASHER, LOCK: 15536; 567954	ea		235										1MP39H4
X2	F									*	A419 NUT: 15536; 559715	ea		235										1MP39H5
X2	F									C	A420 EXTR, TP FR BOOM: 15536; 177523	ea		1										1MP40

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									C	A421 EXTR, LH FR BOOM: 15536; 177101	ea		1										1MP41
X2	F									C	A422 EXTR, RH FR BOOM: 15536; 177099	ea		1										1MP42
X2	F									C	A423 EXTR, TP FT C BM: 15536; 177089	ea		1										1MP43
X2	F									C	A424 EXTR, LH FT C BM: 15536; 177088	ea		1										1MP44
X2	F									C	A425 EXTR, RH FR C BM: 15536; 177087	ea		1										1MP45
X2	F									C	A426 EXTR, TP CTR BM: 15536; 177086	ea		1										1MP46
X2	F									C	A427 EXTR, LH CTR BM: 15536; 177087	ea		1										1MP47
X2	F									C	A428 EXTR, RH CTR BM: 15536; 177083	ea		1										1MP48
X2	F									C	A429 EXTR, TP RR CTR: 15536; 177507	ea		1										1MP49
X2	F									C	A430 EXTR, LH RR C BM: 15536; 174567	ea		1										1MP50
X2	F									C	A431 EXTR, RH RR C BM: 15536; 174566	ea		1										1MP51
X2	F									C	A432 EXTR, TP RR BOOM: 15536; 177504	ea		1										1MP52
X2	F									C	A433 EXTR, LH RR BOOM: 15536; 177076	ea		1										1MP53

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									C	A434 EXTR, RH RR BOOM: 15536; 177074	ea		1										1MP54
X2	F									C	A435 CABLE ASSY, PULL: 15536; 878236	ea		2										1A32
X2	F									D	A436 TURNBUCKLE: 71739; COML 1/2X12 JAW JA	ea		1										1A32A1
X2	F									D	A437 SHACKLE: 71739; COML 1/2IN W/PIN	ea		1										1A32A2
X2	F									D	A438 THIMBLE: 71739; COML 5/16WIRE ROPE	ea		2										1A32A3
X2	F									D	A439 CLIP, WIRE ROPE: 71739; COML 5/16WIRE ROPE	ea		12										1A32A4
										D	A440 ROPE, WIRE: 07125; 5/16 CLASS B GALV7X	ft		30										1A32A5
X2	F									C	A441 CABLE, LIFTING: 15536; 878234	ft		35										1A33
										D	A442 TURNBUCKLE: SAME AS A436	ea		1										1A33A1
										D	A443 SHACKLE: SAME AS A437	ea		1										1A33A2
										D	A444 THIMBLE: SAME AS A438	ea		2										1A33A3
										D	A445 CLIP, WIRE ROPE: SAME AS A439	ea		6										1A33A4
										D	A446 ROPE, WIRE: SAME AS A440	ft		30										1A33A5
X2	F									C	A447 TAG LINE, SHORT: 15536; 872348	ea		2										A34

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	(3) DESCRIPTION IND CD		(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									D	A448 SNAP, BULL RING: 76786; 2251	ea		2										A34A1
X2	F									D	A449 THIMBLE: 71739; COML 1/4 IN	ea		2										1A34A2
X2	F									D	A450 CLIP, WIRE ROPE: 71739; COML 3/16 IN	ea		8										1A34A3
										D	A451 ROPE PRP: 94452; H57-1/4DIA	ft		10										1A34A4
X2	F									C	A452 TAGE LING, LONG: 15536; 872349	ea		2										1A35
										D	A454 THIMBLE: SAME AS A449	ea		2										1A35A2
										D	A455 CLIP, WIRE ROPE: SAME AS A450	ea		4										1A35A3
										D	A456 ROPE, PRP: SAME AS A451	ft		10										1A35A4
A	F									B	A457 TOWER: 15536; T-3001	ea		1										2
A	F									C	A458 TL SECTION 6/S: 15536; 877027	ea		1										2A1
X2	F									*	A459 SCREW: 15536; 501038	ea		12										2A1H1
X2	F									*	A460 WASHER, LOCK: SAME AS A224	ea		12										2A1H2
X2	F									D	A461 FLANGE: 15536; 378271	ea		2										2A1A1
X2	F									D	A462 PIN, GUIDE: 15536; 378267	ea		2										2A1A2
X2	F									D	A463 TUBING, ALUM: 15536; 178283	ea		1										2A1A3
X2	F									D	A464 RING: 15536; 378269	ea		2										2A1A4
X2	F									D	A465 TUBING, BRASS: 15536; 278552	ea		1										2A1A5

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)														
X2	F									D	A466 FITTING: 15536; 278268	ea		2										2A1A6
X2	F									D	A467 SPACER: 15536; 477364	ea		4										2A1A7
A	F									C	A468 JOINT ASSY, RTRY: 15536; 871592	ea		1										2A2
X2	F									D	A469 CONNECTOR, CTR: 15536; 871522	ea		1										2A2A1
X2	F									E	A470 SPACER: 15536; 471042	ea		2										2A2A1P1
X2	F									E	A471 CONNECTOR, CTR: 15536; 271081	ea		1										2A2A1P2
X2	F									D	A472 CONDUCTOR ASSY: 15536; 871693	ea		1										2A2A2
X2	F									E	A474 CONNECTOR, CTR: 15536; 271080	ea		1										2A2A2P2
X2	F									E	A475 BULLNOSE: 15536; 891469	ea		1										2A2A2P3
X2	F									E	A476 PIN: 15536; 171182	ea		1										2A2A2P4
P	F		5340-954-5451							E	A477 SPRING: 15536; 371350	ea		1	*	*	2	*	*	2	8	3		2A2A2P5
X2	F									D	A478 PIN: 15536; 171175	ea		2										2A2MP1
A	F									D	A479 FLANGE AND BRK AS: 15536; 871519	ea		1										2A2A3
X2	F									E	A480 RING: 15536; 171177	ea		1										2A2A3MP1
P	F		5820-949-2737							E	A481 COLLAR: 15536; 171176	ea		1	*	*	2	*	*	2	8	3		2A2A3MP2
X2	F									*	A482 SET SCREW: 15536; 531035	ea		2										2A2A3H1
P	F		3110-155-8970							E	A483 BEARING: 21760; XL5	ea		2	*	2	2	*	*	2	13	6		2A2A3MP3

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION		UNIT OF ISSUE (4)	QTY INC IN UN PK (5)	QTY INC IN UNIT (6)	30 DAY MAINT. ALW. (7) DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)														
P	F		5820-949-2738							E	A484	SPACER: 15536; 171178	ea		1	*	*	2	*	*	2	8	3		2A2A3MP4
										*	A485	SET SCREW: SAME AS A482	ea		2										2A2A3H2
X2	F									E	A486	COVER: 15536; 171185	ea		1										2A2A3MP5
X2	F									*	A487	SCREW: 15536; 501194	ea		8										2A2A3H3
X2	F									E	A488	TUBE, FLANGE: 15536; 171179	ea		1										2A2A3MP6
X2	F									E	A489	INSERT, TAB: 73957; 37524-50 SST	ea		6										2A2A3MP7
P	F		5330-954-5546							E	A490	O-RING: 81596; 623019	ea		1	*	*	2	*	*	2	8	3		2A2A3MP8
P	F		5330-197-9582							E	A491	O-RING: 81596; 623026	ea		1	*	*	2	*	*	2	8	3		2A2A3MP9
A	F									D	A492	HOUSING ASSY: 15536; 871517	ea		1										2A2A4
A	F									E	A493	RING ASSY: 15536; 873968	ea		1										2A2A4MP1
P	F		5330-930-5075							F	A494	RING, GRAPHITE: 78488; NO NUMBER RJ 50 KW	ea		1	*	*	2	*	*	2	5	2		2A2A4MP1MP
P	F		5820-949-2740							F	A495	SPRING: 15536; 371349	ea		3	*	2	2	*	2	2	18	9		2A24MP1MP
X2	F									E	A496	PIN: 15536; 171186	ea		1										2A2A4MP2
X2	F									E	A497	BASE, CONTACT: 15536; 171180	ea		1										2A2A4MP3
X2	F									*	A498	SCREW: 15536; 501037	ea		4										2A2A4H1
X2	F									E	A499	INSERT, TOP: 73957; 37524-50 SST	ea		6										2A2A4MP4
X2	F									E	A500	HOUSING: 15536; 171181	ea		1										2A2A4MP5

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									E	A501 LABLE: 15536; 151694	ea		1										2A2A4MP6
X2	F									*	A502 SCREW: 15536; 501199	ea		2										2A2A4H2
X2	F									C	A503 CLAMP, JOINT: 15536; 872093	ea		2										2MP1
X2	F									*	A504 SCREW: 15536; 506979	ea		280										2MP1H1
X2	F									*	A505 NUT: 15536; 556920	ea		306										2MP1H2
X2	F									*	A506 WASHER: 15536; 567055	ea		318										2MP1H3
X2	F									C	A507 ANGLE, SUPPORT: 15536; 387544	ea		2										2MP2
										*	A508 SCREW: SAME AS A504	ea		4										2MP2H1
										*	A509 WASHER: SAME AS A505	ea		4										2MP2H2
										*	A510 NUT: SAME AS A506	ea		4										2MP2H3
X2	F									C	A511 ANGLE, ROTARY: 15536; 387542	ea		3										2MP3
										*	A512 SCREW: SAME AS A504	ea		3										2MP3H1
										*	A513 WASHER: SAME AS A505	ea		3										2MP3H2
										*	A514 NUT: SAME AS A506	ea		3										2MP3H3
P	F		3020-949-7028							C	A515 CHAIN: 53786; NO 60SS ROLLER CHA	ea		1	*	*	2	*	*	2	8	3		2MP4
X2	F									C	A516 LINK CHAIN: 53786; NO 60SS CONN LINK	ea		1										2MP5
P	F		3020-949-7049							C	A517 GEAR: 15536; 377274	ea		1	*	*	2	*	*	2	5	2		2MP6

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
P	F		5315-951-7643							C	A518 PIN, DOWEL: 06170; COML 102X102	ea		4	*	2	2	*	2	2	16	8		2MP7
X2	F									*	A519 SCREW, SET: 15536; 538376	ea		12										2MP7H1
P	F		3020-949-7047							C	A520 BEARING, BRONZE: 15536; 278378	ea		2	*	*	2	*	*	2	5	2		2MP8
C	F									C	A522 ZERK, GREASE: 36251; 5010	ea		2										2MP9
X2	F									C	A523 BEARING: 15536; 378377	ea		2										2MP10
X2	F									*	A524 SCREW: 15536; 507957	ea		4										2MP10H1
X2	F									*	A525 SCREW: 15536; 507956	ea		4										2MP10H2
										*	A526 WASHER, LOCK: SAME AS A506	ea		8										2MP10H3
X2	F									C	A527 PLATE, LEAD: 15536; 174568	ea		2										2MP11
X2	F									*	A528 SCREW: 15536; 508274	ea		4										2MP11H1
X2	F									*	A529 NUT: 15536; 537629	ea		13										2MP1H2
X2	F									*	A530 WASHER: 15536; 567627	ea		13										2MP11H3
X2	F									C	A531 MAST ASSY: 15536; 877677	ea		1										2MP12
X2	F									C	A532 EYE BOLT: 71739; COML 102-2SHK1-708T	ea		2										2MP13
										*	A533 NUT: SAME AS A505	ea		2										2MP13H1
										*	A534 WASHER: SAME AS A506	ea		2										2MP13H2
X2	F									C	A538 PLATE, TOP: 15536; 374583	ea		1										2MP16

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	(3) MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									*	A539 SCREW: 15536; 506977	ea		16										2MP16H1
										*	A540 SCREW: SAME AS A504	ea		21										2MP16H2
										*	A541 WASHER: SAME AS A505	ea		29										2MP16H3
										*	A542 NUT: SAME AS A506	ea		37										2MP16H4
X2	F									C	A543 SUPPORT, TP PLT: 15536; 377676	ea		3										2MP17
X2	F									C	A544 STABILIZER ASSY: 15536; 877761	ea		3										2MP18
										*	A545 SCREW: SAME AS A504	ea		44										2MP18H1
										*	A546 NUT: SAME AS A505	ea		44										2MP18H2
										*	A547 WASHER, LOCK: SAME AS A506	ea		44										2MP18H3
X2	F									*	A548 SCREW: 15536; 507631	ea		12										2MP18H4
X2	F									*	A549 NUT: 15536; 557628	ea		24										2MP18H5
X2	F									*	A550 WASHER, LOCK: 15536; 567626	ea		24										2MP18H6
X2	F									C	A551 PLATE, GUY: 15536; 374600	ea		3										2MP19
X2	F									C	A552 CLEVIS, INS: 73569; BT3064S-11016C	ea		6										2MP20
X2	F									C	A553 INSULATOR, SUSP: 73569; 66265	ea		6										2MP21
X2	F									C	A554 THIMBLE, 1/2 IN: 71739; COML 1021N	ea		12										2MP22

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									C	A555 WIRE, GUY: 80775; 5540-102-1X7CLASS	ft		1250										2MP23
X2	F									C	A556 GRIP, GUY: 04025; PLP40GDE	ea		200										2MP24
X2	F									C	A557 INSULATOR, STRA: 73569; 506	ea		90										2MP25
X2	F									C	A558 TURNBUCKLE: 71739; COML 708X12	ea		10										2MP26
X2	F									C	A559 PLATE: 15536; 374609	ea		6										2MP27
X2	F									C	A560 SHACKLE, 1/2 IN: 71739; COML 102 WOPINS	ea		6										2MP28
X2	F									*	A561 SCREW: 15536; 501193	ea		6										2MP28H1
X2	F									*	A562 SCREW: 15536; 507959	ea		6										2MP28H2
										*	A563 NUT: SAME AS A549	ea		9										2MP28H3
										*	A564 WASHER, LOCK: SAME AS A550	ea		9										2MP28H4
X2	F									*	A565 SCREW: 15536; 501013	ea		3										2MP28H5
										*	A566 NUT: SAME AS A529	ea		6										2MP28H6
										*	A567 WASHER, LOCK: SAME AS A530	ea		6										2MP28H7
X2	F									C	A568 ROD, ANCHOR: 73569; 6440	ea		3										2MP29
X2	F									C	A569 ANCHOR: 73569; 1082	ea		3										2MP30
X2	F									C	A570 K-BRACE, RIGHT: 15536; 374588	ea		3										2MP31

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									C	A571 K-BRACE, LEFT: 15536; 374597	ea		3										2MP32
X2	F									C	A572 ANGLE, CLIP: 15536; 377586	ea		3										2MP33
X2	F									C	A573 ANGLE, CLIP: 15536; 377587	ea		3										2MP34
										*	A574 SCREW: SAME AS A504	ea		12										2MP34H1
										*	A575 NUT: SAME AS A505	ea		12										2MP34H2
										*	A576 WASHER, LOCK: SAME AS A506	ea		12										2MP34H3
X2	F									C	A577 BRACE, HORIZ: 15536; 377588	ea		3										2MP35
A	F									C	A578 ROTATOR ASSY: 15536; 877358	ea		1										2A3
X2	F									D	A579 PANEL, END: 15536; 377356	ea		1										2A3A1
X2	F									D	A580 PANEL, SIDE: 15536; 377354	ea		1										2A3A2
X2	F									D	A581 PANEL, TOP: 15536; 377357	ea		1										2A3A3
X2	F									D	A582 PANEL, END: 15536; 377353	ea		1										2A3A4
X2	F									D	A583 PANEL, SIDE: 15536; 378238	ea		1										2A3A5
X2	F									*	A584 SCREW: 15536; 548684	ea		68										2A3A5H1
X2	F									D	A585 EYEBOLT: 71739; COML 3/8X110/SHLD	ea		4										2A3A6
X2	F									D	A586 WASHER, LOCK: 15536; 568386	ea		4										2A3A7

(1) SOURCE CD (A)	MAINT. CD (B)	REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	UNIT OF ISSUE (4)	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									D	A587 ELBOW, CONDUIT: 03743; 73T92	ea		1										2A3A8
P	F		3020-949-7031							D	A588 CHAIN: 14125; NO 50 ROLLER CHAIN	ea		1	*	*	2	*	*	2	8	3		2A3A9
X2	F									D	A589 LINK, CONNECTOR: 15536; NO 50 SST	ea		1										2A3A10
P	F		5990-949-7088							D	A590 SELSYN: 02987; 2340-1A	ea		1	*	*	2	*	*	2	8	3		2A3A11
X2	F									D	A591 COLLAR: 15536; 171234	ea		1										2A3A12
X2	F									*	A592 SCREW: 15536; 506389	ea		8										2A3A12H1
X2	F									*	A593 NUT: 15536; 556960	ea		8										2A3A12H2
X2	F									*	A594 WASHER: 15536; 567110	ea		12										2A3A12H3
P	F		5945-949-7082							D	A595 RELAY: 77342; PR7DX	ea		2	*	2	2	*	*	2	13	6		2A3A13
X2	F									*	A596 SCREW: 15536; 506460	ea		4										2A3A13H1
X2	F									*	A597 NUT: 15536; 556970	ea		18										2A3A13H2
X2	F									*	A598 WASHER: 15536; 567125	ea		18										2A3A13H3
X2	F									D	A599 WIRE, #10 BK: 15536; 627317	ft		2										2A3W1
X2	F									D	A600 WIRE, #10 RED: 15536; 627319	ft		2										2A3W2
X2	F									D	A601 WIRE, #10 WH: 15536; 627318	ft		2										2A3W3
X2	F									D	A602 WIRE #12 BK: 15536; 622467	ft		2										2A3W4

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									D	A603 WIRE, #12 RED: 15536; 628356	ft		2										2A3W5
X2	F									D	A604 WIRE, #12 WH: 15536; 628354	ft		2										2A3W6
X2	F									D	A605 WIRE, #16 BL: 15536; 624287	ft		2										2A3W7
X2	F									D	A606 WIRE, #16 RED: 15536; 624437	ft		2										2A3W8
X2	F									D	A607 WIRE, #16 WH: 15536; 624288	ft		2										2A3W9
X2	F									D	A608 WIRE, #16 GR: 15536; 624433	ft		2										2A3W10
X2	F									D	A609 WIRE, #16 BL: 15536; 624432	ft		2										2A3W11
X2	F									D	A610 LUGS, SOLDER: 15536; 677662	ea		11										2A3E1
X2	F									D	A611 LUGS, SOLDER: 15536; 678922	ea		12										2A3E2
X2	F									D	A612 BLOCK, TERM: 89020; 524	ea		23										2A3TB1
X2	F									D	A613 BLOCK, TERM: 89020; 530	ea		2										2A3TB2
X2	F									*	A614 SCREW: 15536; 506485	ea		10										2A3TB2H1
										*	A615 NUT: SAME AS A597	ea		2										2A3TB2H2
										*	A616 WASHER: SAME AS A598	ea		2										2A3TB2H3
X2	F									D	A617 BRACKET, MTG: 15536; 177292	ea		1										2A3A14

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
										*	A618 SCREW: SAME AS A592	ea		4										2A3A14H1
										*	A619 NUT: SAME AS A593	ea		4										2A3A14H2
										*	A620 WASHER: SAME AS A594	ea		4										2A3A14H3
X2	F									D	A621 WASHER: 15536; 567120	ea		4										2A3A14H4
A	F									D	A622 GEAR ASSY: 15536; 872255	ea		1										2A3A15
P	F		3020-949-7050							E	A623 GEAR: 15536; 257531	ea		1	*	*	2	*	*	2	8	3		2A3A15MP1
P	F		5820-949-2783							E	A624 BUSHING: 15536; 271091	ea		1	*	*	2	*	*	2	8	3		2A3A15MP2
X2	F									D	A625 ANGLE, MTG: 15536; 177294	ea		1										2A3A16
X2	F									D	A626 ANGLE, MTG: 15536; 177296	ea		1										2A3A17
X2	F									*	A627 SCREW: 15536; 502926	ea		7										2A3A17H1
X2	F									*	A628 NUT: 15536; 557000	ea		17										2A3A17H2
X2	F									*	A629 WASHER: 15536; 567155	ea		20										2A3A17H3
P	F		3020-949-7027							D	A630 GEAR: 21444; 50BTL-70-1 5/8BUE	ea		1	*	*	2	*	*	2	8	3		2A3A18
A	F									D	A631 SHAFT ASSY: 15536; 872250	ea		1										2A3A19
P	F		3020-949-7042							E	A632 GEAR: 21444; 2418 BRASS	ea		1	*	*	2	*	*	2	8	3		2A3A19MP1
X2	F									*	A633 SCREW, SET: 15536; 536685	ea		1										2A3A19H1
X2	F									E	A634 SHAFT: 15536; 378389	ea		1										2A3A19MP2
X2	F									E	A635 SHAFT: 15536; 371080	ea		1										2A3A19MP3
P	F		3130-930-3619							D	A636 BEARING: 15536; 357936	ea		1	*	*	2	*	*	2	8	3		2A3A20

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									*	A637 SCREW: 15536; 506145	ea		4										2A3A20H1
										*	A638 NUT: SAME AS A505	ea		4										2A3A20H2
										*	A639 WASHER: SAME AS A506	ea		4										2A3A20H3
P	F		3020-930-1952							D	A640 GEAR: 21444; 60BTL18-15/8 BRACE	ea		1	*	*	2	*	*	2	8	3		2A3A21
P	F		6105-949-7087							D	A641 MOTOR: 92940; FM73L	ea		1	*	*	2	*	*	2	8	3		2A3A22
X2	F									*	A642 SCREW: 15536; 505691	ea		6										2A3A22H1
										*	A643 WASHER: SAME AS A224	ea		4										2A3A22H2
P	F		5975-280-3505							D	A644 CONNECTOR: 13743; 7286	ea		1	*	*	2	*	*	2	8	3		2A3A23
P	F		5820-949-2747							D	A645 REDUCER: 15536; 371218	ea		1	*	*	2	*	*	2	10	4		2A3A24
X2	F									*	A646 SCREW: 15536; 507621	ea		4										2A3A24H1
X2	F									*	A647 NUT: 15536; 557619	ea		4										2A3A24H2
X2	F									*	A648 WASHER: 15536; 567618	ea		4										2A3A24H3
P	F		3020-949-7030							D	A649 GEAR: 21444; 50BTL 18-15/8 BRAC	ea		1	*	*	2	*	*	2	8	3		2A3A25
X2	F									D	A650 FRAME ASSY: 15536; 874574	ea		1										2A3A26
X2	F									D	A651 ANGLE, SUPPORT: 15536; 878296	ea		1										2A3A27
X2	F									D	A652 ANGLE: 15536; 878384	ea		1										2A3A28
X2	F									D	A653 ANGLE: 15536; 374581	ea		2										2A3A29
										D	A654 SCREW: SAME AS A504	ea		12										2A3A29H1

(1) SOURCE CD (A)	MAINT. CD (B)	REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	UNIT OF ISSUE (4)	QTY INC IN UN PK (5)	QTY INC IN UNIT (6)	30 DAY MAINT. ALW. (7) DS (A) 1-20	DS (B) 21-50	DS (C) 51-100	GS (A) 1-20	GS (B) 21-50	GS (C) 51-100	1 YR. ALW. PER 100 EQUIP. CNTGCY PL. (8)	DEPOT MAINT. ALW. PER 100 EQUIP. (9)	ILLUSTRATIONS (10) (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									D	A655 SCREW, SET: 15536; 538368	ea		2										2A3A29H2
X2	F									D	A656 SCREW, SET: 15536; 538387	ea		2										2A3A29H3
X2	F									C	A657 WIRE, NO 10 BK: 15536; 627317	ft		2										2W1
X2	F									C	A658 WIRE, NO 10 WH: 15536; 627318	ft		2										2W2
X2	F									C	A659 WIRE, NO 10 RED: 15536; 627319	ft		2										2W3
X2	F									C	A660 CONDUIT, 1X8 IN: 15536; 378344	ea		2										2W4
X2	F									C	A661 ELBOW: 75282; CCL3	ea		2										2MP36
P	F		5975-179-0099							C	A662 CONNECTOR: 03743; 96T100	ea		5	*	2	2	*	2	2	19	10		2P1
X2	F									C	A663 CONDUIT, 10 FT: 27610; COML 1IN DIA, 10FT	ea		8										2W5
X2	F									C	A664 CONDUIT, 6 FT: 15536; 378346	ea		1										2W6
X2	F									C	A665 COUPLING, STD: 03743; 95T100	ea		8										2MP37
X2	F									C	A666 WRAPLOCK: 02563; 3/8SS	ea		1										2MP38
X2	F									C	A671 ELBOW: 03743; 95T100	ea		1										2MP40
X2	F									C	A672 HUB: 75282; COML 1IN	ea		1										2MP41
P	0		5920-296-0433							C	A673 FUSE, 8 AMP: 71400; FRN-8	ea		3	3	9	16	5	3	4	187	150		2F1
X2	F									C	A674 COUPLING: 03743; 96T075	ea		1										2MP42

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE									(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW.						(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS	
			(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION				DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100			(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
P	F		6145-949-7026							C	A675 CABLE: 04569; 12-16J12	ft		100	*	2	2	*	*	2	10	4		2W4
X2	F									C	A676 SWITCH BOX: 14280; A-85351R0	ea		1										2A3A30
X2	F									*	A677 SCREW: SAME AS A394	ea		3										2A3A30H1
X2	F									*	A678 NUT: 15536; 552962	ea		3										2A3A30H2
										*	A679 WASHER: SAME AS A005	ea		3										2A3A30H3
X2	F									C	A680 PLATE, MTG: 15536; 178343	ea		1										2MP43
										*	A681 SCREW: SAME AS A642	ea		2										2MP43H1
										*	A682 NUT: SAME AS A225	ea		2										2MP43H2
										*	A683 WASHER: SAME AS A224	ea		2										2MP43H3
X2	F									C	A684 ANGLE: 15536; 378342	ea		1										2MP44
										*	A685 SCREW: SAME AS A504	ea		1										2MP44H1
										*	A686 NUT: SAME AS A505	ea		1										2MP44H2
										*	A687 WASHER: SAME AS A506	ea		1										2MP44H3
A	F									C	A688 INDICATOR ASSY: 15536; 873984	ea		1										2A4
X2	F									D	A689 HOUSING ASSY: 15536; 378337	ea		1										2A4A1
X2	F									E	A690 PANEL, END: 15536; 178308	ea		1										2A4A1MP1
X2	F									E	A691 PANEL, END: 15536; 178309	ea		1										2A4A1MP2
X2	F									E	A692 PLATE, BOTTOM: 71282; BPA1597	ea		1										2A4A1MP3

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									E	A693 CHASSIS: 71282; AC415	ea		1										2A4A1MP4
X2	F									E	A694 PLATE, FACE: 15536; 171378	ea		1										2A4A1MP5
X2	F									E	A695 HANDLE: 71282; H9115	ea		2										2A4A1MP6
X2	F									*	A696 SCREW: 15536; 519205	ea		4										2A4A1H1
										*	A697 NUT: SAME AS A597	ea		4										2A4A1H2
X2	F									*	A698 NUT: 15536; 558273	ea		4										2A4A1H3
X2	F									*	A699 NUT: 15536; 558306	ea		4										2A4A1H4
										*	A700 WASHER: SAME AS A594	ea		4										2A4A1H5
										*	A701 WASHER: SAME AS A598	ea		4										2A4A1H6
P	F		5325-930-4954							E	A702 GROMMET: 70485; 2714	ea		1	*	*	2	*	*	2	8	3		2A4A2B1
A	F									D	A703 HOUSING ASSY: 15536; 873923	ea		1										2A4A2
X2	F									E	A704 HOUSING: 15536; 171379	ea		1										2A4A2MP1
P	F		5990-949-7117							E	A705 SELSYN: 02987; 2330-1-BXV	ea		1	*	*	2	*	*	2	8	3		2A4A2B1
X2	F									*	A706 SCREW: 15536; 506765	ea		1										2A4A2H1
X2	F									*	A707 WASHER, LOCK: 15536; 567170	ea		4										2A4A2H2
X2	F									E	A708 BRACKET: 15536; 171489	ea		4										2A4A2MP2
X2	F									E	A709 DISC ASSY: 15536; 873932	ea		1										2A4A2MP3
X1	F									F	A710 ADAPTER: 15536; 171404	ea		1										2A4A2MP4
X1	F									F	A711 DISC: 15536; 471076	ea		1										2A4A2MP5

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									*	A712 WASHER, FLAT: 15536; 561082	ea		1										2A4A2H1
X2	F									E	A713 DIAGRAM: 15536; 803800	ea		1										2A4A2MP6
X2	F									E	A714 FACE PLATE: 15536; 451077	ea		1										2A4A2MP7
X2	F									E	A715 WIRE, RETAINING: 15536; 371363	ft		15										2A4A2W1
X2	F									E	A716 GASKET: 15536; 813991	ea		1										2A4A2MP8
X2	F									D	A717 CLIP, SELSYN: 15536; 171376	ea		2										2A4A3
X2	F									*	A718 SCREW: 15536; 508302	ea		2										2A4A3H1
P	F		5930-543-0354							*	A719 SWITCH: 76055; 6243	ea		1	*	*	2	*	*	2	8	3		2A4S1
X2	F									*	A720 SCREW: 15536; 506656	ea		2										2A4S1H1
P	F		5935-549-7787							D	A721 SOCKET: 15536; 718324	ea		1	*	*	2	*	*	2	5	2		2A4J1
P	F		5950-949-7086							D	A722 TRANSFORMER: 96256; 24R19U	ea		1	*	*	2	*	*	2	8	3		2A4T1
										D	A723 BLOCK, TERM: SAME AS A612	ea		12										2A4TB1
										D	A724 CLOCK, TERM: SAME AS A613	ea		1										2A4TB2
X2	F									D	A725 STRIP, TERM: 71785; 52-A	ea		8										2A4TB3
										*	A726 SCREW: SAME AS A614	ea		8										2A4TB3H1
X2	F									*	A727 SCREW: 15536; 506650	ea		11										2A4TB3H2
P	F		5930-930-4692							D	A728 SWITCH, TOGGLE: 73559; 2FA53-71	ea		1	*	*	2	*	*	2	8	3		2A4S2
P	F		5920-568-0926							D	A729 HOLDER, FUSE: 71400; 15A250V	ea		2	*	*	2	*	*	2	10	4		2A4X1

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
P	O		5920-010-6652							D	A730 FUSE: 71400; AGC-3AMP	ea		2	2	6	11	4	3	3	130	100		2A4F1
P	O		6240-223-9100							D	A731 LAMP: 15536; 717617	ea		1	2	3	6	3	2	2	71	50		2A4DS1
P	F		5910-072-6065							D	A732 TUBE: 00656; PRS1540	ea		4	*	2	2	2	2	2	19	12		2A4A4
P	F		5910-082-1488							D	A733 TUBE: 00656; PRS1915	ea		1	*	*	2	*	*	2	8	3		2A4A5
P	F		5905-973-7001							D	A734 RESISTOR: 94310; FRL-10-50K	ea		1	*	*	2	*	*	2	8	3		2A4R1
P	F		5905-804-1000							D	A735 RESISTOR: 94310; FRL-10-1500	ea		1	*	*	2	*	*	2	8	3		2A4R2
P	F		5910-577-1138							D	A736 CAPACITOR: 00656; BPD-1000-001	ea		2	*	2	2	*	*	2	13	6		2A4C1
P	F		5905-299-2057							D	A737 RESISTOR: 44655; 241HM1W5%	ea		2	*	2	2	*	*	2	13	6		2A4R3
P	F		5905-101-7924							D	A738 RESISTOR: 94310; FRL10-20K	ea		2	*	2	2	*	*	2	13	6		2A4R3
P	O		5960-949-7032							D	A739 TUBE, RECTIFIER: 6X5GT; GENERAL ELEC	ea		1	2	6	11	4	3	3	130	100		2A4A6
P	F		6220-682-9833							D	A740 PILOT: 72619; 931	ea		1	*	*	2	*	*	2	8	3		2A4A7
X2	F									D	A742 WIRE: 70903; 17826-5	ea		1										2A4W1
										*	A743 NUT: SAME AS A597	ea		8										2A4W1H1
										*	A744 WASHER: SAME AS A598	ea		8										2A4W1H2
X2	F									*	A745 WASHER: 15536; 567130	ea		20										2A4W1H3
										*	A746 NUT: SAME AS A628	ea		13										2A4W1H4
										*	A747 WASHER: SAME AS A629	ea		13										2A4W1H5

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	(3) DESCRIPTION IND CD		(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1—20	DS (B) 21—50	DS (C) 51—100	GS (A) 1—20	GS (B) 21—50	GS (C) 51—100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									D	A748 WIRE, #16 OR: 15536; 624434	ft		4										2A4W2
X2	F									D	A749 WIRE, #16 WH: 15536; 624288	ft		4										2A4W3
X2	F									D	A750 WIRE, #16 RED: 15536; 624437	ft		1										2A4W4
X2	F									D	A751 WIRE, #16: 15536; 624432	ft		2										2A4W5
X2	F									D	A752 WIRE, #16 YE: 15536;624436	ft		2										2A4W6
X2	F									D	A753 WIRE, #16 BK: 15536; 624287	ft		6										2A4W7
X2	F									D	A754 WIRE, #16 BR: 15536; 624438	ft		4										2A4W8
X2	F									D	A755 WIRE, #16 BR: 15536; 624433	ft		3										2A4W9
X2	F									C	A756 ANGE, MTG: 15536; 374591	ea		16										2MP45
X2	F									C	A757 PLATE: 15536; 877673	ea		1										2MP46
										*	A758 SCREW: SAME AS A504	ea		6										2MP46H1
										*	A759 NUT: SAME AS A505	ea		6										2MP46H2
										*	A760 WASHER, LOCK: SAME AS A506	ea		6										2MP46H3
X2	F									C	A761 BRACE: 15536; 374592	ea		3										2MP47
X2	F									C	A762 ANGLE, STEP: 15536; 877642	ea		1										2MP48
X2	F									C	A763 BRACE: 15536; 377654	ea		2										2MP49

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									C	A764 ANGLE, STEP: 15536; 874593	ea		49										2MP50
X2	F									C	A765 ANGLE, STEP: 15536; 374594	ea		99										2MP51
X2	F									C	A766 ANGLE: 15536; 377676	ea		3										2MP52
X2	F									C	A767 BRACE: 15536; 374591	ea		4										2MP53
										*	A768 SCREW: SAME AS A504	ea		66										2MP53H1
										*	A769 SCREW: 15536; 506977	ea		24										2MP53H2
										*	A770 NUT: SAME AS A505	ea		78										2MP53H3
										*	A771 WASHER, LOCK: SAME AS A506	ea		78										2MP53H4
X2	F									C	A772 LEG, TOWER: 15536; 357528	ea		15										2MP54
X2	F									C	A776 PLATE, SPLICE: 15536; 374606	ea		24										2MP58
X2	F									C	A777 PLATE, SPLICE: 15536; 374601	ea		24										2MP59
										*	A778 SCREW: SAME AS A504	ea		63										2MP59H1
X2	F									*	A779 SCREW: SAME AS A769	ea		12										2MP59H2
										*	A780 NUT: SAME AS A505	ea		75										2MP59H3
										*	A781 WASHER, LOCK: SAME AS A506	ea		75										2MP59H4
X2	F									C	A783 SADDLE, GUY: 15536; 374596	ea		3										2MP61
										*	A784 SCREW: SAME AS A504	ea		18										2MP61H1
										*	A785 NUT: SAME AS A505	ea		18										2MP61H2

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
										*	A786 WASHER, LOCK: SAME AS A506	ea		18										2MP61H3
										*	A787 SCREW: SAME AS A524	ea		3										2MP61H4
										*	A788 NUT: SAME AS A549	ea		3										2MP61H5
										*	A789 WASHER, LOCK: SAME AS A550	ea		3										2MP61H6
X2	F									C	A790 THIMBLE: 71739; COML 308IN	ea		6										2MP62
X2	F									C	A791 GRIP: 04025; 308PLP35GDE	ea		42										2MP63
										C	A792 INSULATOR: SAME AS A557	ea		54										2MP64
										C	A793 CABLE, GUY: 80775; 308 1X7LASS B GALV	ft		250										2MP65
X2	F									C	A794 TURNBUCKLE: 71739; COML 508 X 12 JAW & EYE	ea		3										2MP66
X2	F									C	A795 ROD, ANCHOR: 73569; 6427	ea		3										2MP67
X2	F									C	A796 ANCHOR: 73569; 88100	ea		3										2MP68
X2	F									C	A797 BASESHOE ASSY: 15536; 874586	ea		3										2MP69
										C	A798 SCREW: SAME AS A504	ea		24										2MP69H1
										*	A799 NUT: SAME AS A505	ea		24										2MP69H2
										*	A800 WASHER, LOCK: SAME AS A506	ea		24										2MP69H3
X2	F									*	A801 SCREW: 15536; 507958	ea		3										2MP69H4
										*	A802 NUT: SAME AS A529	ea		3										2MP69H5
										*	A803 WASHER, LOCK: SAME AS A530	ea		3										2MP69H6

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION MODEL 1	2	3	4	5	6	IND CD		(4) UNIT OF ISSUE	(5) QTY INC IN UNPK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
				AN/FRA-53A (continued)																				
X2	F									C	A804 PAD, FLEX CELL: 15536; 898297	ea		3										2MP70
	F									C	A805 WIRE, COPPER: 11292; COML 6GA SOFT	ft		10										2W1
X2	F									C	A806 ROD, GROUND: 73569; 8438	ea		2										2MP71
X2	F									C	A807 CLAMP: 73569; 8705H	ea		2										2MP72
X2	F									B	A808 GIN POLE ASSY: 15536; 877668	ea		1										3
X2	F									C	A809 BRACE: 15536; 177596	ea		33										3MP1
X2	F									C	A810 MAST: 15536; 177645	ea		1										3MP2
X2	F									C	A811 ANGLE, MTG: 15536; 177649	ea		4										3MP3
X2	F									C	A812 ANGLE, HORIZ: 15536; 177651	ea		11										3MP4
X2	F									C	A813 PLATE, MTG: 15536; 177652	ea		2										3MP5
X2	F									C	A814 LEG: 15536; 177667	ea		3										3MP6
X2	F									C	A815 BRACE: 15536; 177669	ea		33										3MP7
X2	F									C	A816 ANGLE, SUPPORT: 15536; 177672	ea		3										3MP8
X2	F									*	A817 SCREW: 15536; 501015	ea		14										3MP8H1
X2	F									*	A818 SCREW: 15536; 507957	ea		75										3MP8H2
X2	F									*	A819 NUT: 15536; 555694	ea		14										3MP8H3
X2	F									*	A820 NUT: 15536; 559715	ea		77										3MP8H4
X2	F									*	A821 WASHER: 15536; 561016	ea		14										3MP8H5

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)														
X2	F									*	A822 WASHER: 15536; 567954	ea		77										3MP8H6
A	F									C	A823 TUBE ASSY: 15536; 877661	ea		1										3A1
P	F		3110-156-1832							D	A824 BEARING: 43991; W-3NH	ea		1	*	*	2	*	*	2	8	3		3A1A1
X2	F									D	A825 PULLEY: 39428; 31568	ea		1										3A1A2
X2	F									D	A826 TAB, SUPRT: 15536; 371185	ea		1										3A1A3
X2	F									D	A827 SHIELD BRNG: 15536; 374573	ea		1										3A1A4
X2	F									D	A828 COLLAR: 15536; 378228	ea		1										3A1A5
P	F		5820-949-2742							D	A829 PLATE, SWIVEL: 15536; 378488	ea		1	*	*	2	*	*	2	8	3		3A1A6
X2	F									D	A830 PIN: 15536; 378491	ea		1										3A1A7
X2	F									D	A831 TAB: 15536; 378492	ea		1										3A1A8
X2	F									D	A832 TUBE, SWIVEL: 15536; 378494	ea		1										3A1A9
X2	F									*	A833 SCREW: 15536; 506485	ea		2										3A1A9H1
X2	F									*	A834 SCREW: 15536; 548684	ea		2										3A1A9H2
X2	F									*	A835 WASHER: 15536; 567125	ea		2										3A1A9H3
A	F									B	A836 GIN POLE ASSY: 15536; 877287	ea		1										4
X2	F									C	A837 PLATE, SPLICE: 15536; 177298	ea		6										4MP1
X2	F									C	A838 LEG: 15536; 177309	ea		3										4MP2
X2	F									C	A839 BRACE DIAG: 15536; 177596	ea		15										4MP3

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION MODEL 1	2	3	4	5	6	IND CD		(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) ALW. PER 100 EQUIP. 1 YR. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
				AN/FRA-53A (continued)																				
X2	F									C	A840 BRACE DIAG: 15536; 177669	ea		12										4MP4
X2	F									*	A841 SCREW: 15536; 507957	ea		69										4MP4H1
										*	A842 NUT: SAME AS A407	ea		45										4MP4H2
										*	A843 WASHER, LOCK: SAME AS A408	ea		45										4MP4H3
X2	F									C	A844 CLIP, SUPPORT: 15536; 377655	ea		8										4MP5
X2	F									C	A845 ANGLE, SPT: 15536; 377671	ea		3										4MP6
X2	F									C	A846 ANGLE, STRAP: 15536; 377308	ea		4										4MP7
X2	F									C	A847 ANGLE: 15536; 378243	ea		1										4MP8
X2	F									C	A848 BAR, ALIGN: 15536; 371004	ea		6										4MP9
X2	F									C	A849 SPT, -&FRAME: 15536; 371252	ea		2										4MP10
X2	F									C	A850 ANGLE: 15536; 171140	ea		2										4MP11
X2	F									*	A851 SCREW: 15536; 506979	ea		48										4MP11H1
										*	A852 SCREW: SAME AS A527	ea		24										4MP11H2
X2	F									*	A853 NUT: SAME AS A505	ea		48										4MP11H3
										*	A854 NUT: SAME AS A407	ea		24										4MP11H4
X2	F									*	A855 WASHER, LOCK: 15536; 567055	ea		48										4MP11H5
										*	A856 WASHER, LOCK: SAME AS A408	ea		24										4MP11H6
A	F									C	A857 A-FRAME ASSY: 15536; 878252	ea		1										4A1

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	(3) MODEL 1	2	3	4	5	6	(3) CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)														
X2	F									D	A858 BLOCK, PILLOW: 21335; 47PBS	ea		4										4A1A1
X2	F									D	A859 PIN: 15536; 378232	ea		2										4A1A2
X2	F									D	A860 PULLEY: 39428; 31568	ea		2										4A1A3
X2	F									D	A861 ANGLE: 15536; 178239	ea		1										4A1A3
X2	F									D	A862 ANGLE: 15536; 178246	ea		1										4A1A4
X2	F									D	A863 ANGLE: 15536; 178241	ea		1										4A1A5
X2	F									D	A864 ANGLE: 15536; 178253	ea		2										4A1A6
X2	F									D	A865 ANGLE: 15536; 178247	ea		1										4A1A7
X2	F									D	A866 TUBE, RECT: 15536; 178254	ea		1										4A1A8
X2	F									D	A867 ANGLE: 15536; 178251	ea		1										4A1A9
X2	F									D	A868 ANGLE: 15536; 178256	ea		1										4A1A10
X2	F									D	A869 ANGLE: 15536; 178243	ea		1										4A1A11
X2	F									D	A870 ANGLE: 15536; 178244	ea		1										4A1A12
X2	F									*	A871 SCREW: 15536; 507955	ea		5										4A1A12H1
X2	F									*	A872 SCREW: 15536; 505271	ea		16										4A1A12H2
X2	F									*	A873 SCREW: 15536; 507873	ea		22										4A1A12H3
										*	A874 NUT: SAME AS A225	ea		38										4A1A12H4
										*	A875 NUT: SAME AS A407	ea		5										4A1A12H5
X2	F									*	A876 WASHER, LOCK: 15536; 565696	ea		38										4A1A12H6

(1) SOURCE CD (A)	(1) MAINT. CD (B)	(1) REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL 1	2	3	4	5	6	CD IND	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW. DS (A) 1–20	DS (B) 21–50	DS (C) 51–100	GS (A) 1–20	GS (B) 21–50	GS (C) 51–100	(8) 1 YR. ALW. PER 100 EQUIP. CNTGCY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS (A) FIGURE NUMBER	(10) ILLUSTRATIONS (B) ITEM OR SYMBOL NUMBER
											AN/FRA-53A (continued)													
X2	F									*	A877 WASHER, SPLIT: 15536; 569714	ea		5									4A1A12H7
A	F									B	A878 TROLLEY: 15536; 878502	ea		1									5
X2	F									C	A879 SUPPORT, LEFT: 15536; 377598	ea		1									5MP1
X2	F									C	A880 SUPPORT, RIGHT: 15536; 356588	ea		1									5MP2
										*	A881 SCREW: SAME AS A504	ea		8									5MP2H1
										*	A882 NUT: SAME AS A505	ea		8									5MP2H2
										*	A883 WASHER: SAME AS A506	ea		8									5MP2H3
X2	F									C	A884 SHACKLE: 71739; COML 3/4 IN SAFETY	ea		2									5MP3
X2	F									C	A885 THIMBLE: 71739; COML 1/2IN	ea		4									5MP4
X2	F									C	A886 CABLE: 86052; 5540 1/2-1X7CL B	ft		25									5MP5
X2	F									C	A891 SADDLE ASSY: 15536; 877639	ea		2									5MP10
X2	F									C	A892 PLATE: 15536; 378477	ea		1									5MP11
X2	F									C	A893 ANGLE: 15536; 378527	ea		2									5MP12

INDEX — FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE SYMBOL

STOCK NO.	FIGURE NO.	ITEM NO. REF. SYMBOL
3020-930-1952		2A3A21
3020-949-7027		2A3A18
3020-949-7028		2MP4
3020-949-7030		2A3A25
3020-949-7031		2A3A9
3020-949-7042		2A3A19MP1
3020-949-7047		2MP8
3020-949-7049		2MP6
3020-949-7050		2A3A15MP1
3110-155-8970		2A2A3MP3
3110-156-1832		3A1A1
3130-930-3619		2A3A20
5306-930-1564		1A19H1 1A21H1
5306-950-1551		1A15H1
5306-950-1556		1A17H1
5306-950-1570		1A14H1
5306-950-1602		1A8H1, 1A10H1, 1A12H1, 1A13H1
5306-950-1603		1A1H1, 1A2H1, 1A5H1 1A6A4H1
5315-951-7643		2MP7
5325-930-4954		2A4A2B1
5330-197-9582		2A2A3MP9
5330-930-5075		2A2A4MP1MP
5330-954-5473		1A28A3
5330-954-5475		1MP16
5330-954-5546		2A2A3MP8
5340-954-5451		2A2A2P5
5820-949-2737		2A2A3MP2
5820-949-2738		2A2A3MP4
5820-949-2740		2A24MP1MP
5820-949-2742		3A1A6
5820-949-2747		2A3A24
5820-949-2783		2A3A15MP2
5905-101-7924		2A4R3
5905-299-2057		2A4R3
5905-804-1000		2A4R2
5905-973-7001		2A4R1
5910-072-6065		2A4A4
5910-082-1488		2A4A5
5910-577-1138		2A4C1
5920-010-6652		2A4F1
5920-296-0433		2F1
5920-568-0926		2A4X1
5930-543-0354		2A4S1
5930-930-4692		2A4S2
5935-549-7787		2A4J1
5945-949-7082		2A3A13
5950-949-7085		1A31A1
5950-949-7086		2A4T1
5960-949-7032		2A4A6
5970-063-0656		1A28A2
5975-179-0099		2P1
5975-280-3505		2A3A23
5985-930-2308		1A16A1
5985-930-4698		1A15A3
5985-949-3920		1A6A4E1
5985-949-3973		1A4A2, 1A6A2, 1A7A2, 1A9A2, 1A11A2
5985-949-3989		1A6A3
5985-949-4036		1A21A1

INDEX — FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE SYMBOL

STOCK NO.	FIGURE NO.	ITEM NO. REF. SYMBOL
5985-949-4038		1A2A1
		1A3A1
		1A4A1
		1A6A1
		1A7A1
		1A9A1
		1A11A1
5985-949-4039		1A14A2
5985-949-4045		1A2A3E1
		1A16A3
		1A15A1
5985-949-4046		1A2A2
5985-949-4055		1A3A2E2
5985-949-4064		1A3A2
5985-949-4066		1A14A1
5985-949-4084		1A13A2
5985-949-4136		1A15A2
5985-949-4169		1A18A3
		1A20A3
5985-949-4221		1A18A4
5985-949-4233		1A19A1
5985-949-4238		1A11A5
5985-949-4245		1A18A2
		1A20A2
5985-949-4300		1A17A1
5985-949-4308		1A17A2
5985-949-4313		1A13A1
5985-949-4315		1A16A4
5985-949-4316		1A16A2
5985-949-4317		1A12A1
5985-949-4318		1A10A1
5985-949-4322		1A9A5
5985-949-4323		1A9A4
		1A11A4
5985-949-4326		1A16A5
5985-949-4399		1A1A1
5985-949-4420		1A18A1
		1A20A1
5985-949-4421		1A20A4
5985-949-4427		1A5A1
5985-949-4478		1A8A1
5985-949-4489		1A7A4
5985-949-4499		1A7A3
		1A9A3
		1A11A3
5985-949-7048		1A24
5990-949-7088		2A3A11
5990-949-7117		2A4A2B1
6105-949-7087		2A3A22
6145-949-7026		2W4
6220-682-9833		2A4A7
6240-223-9100		2A4DS1

By Order of the Secretary of the Army:

HAROLD K. JOHNSON,
General, United States Army,
Chief of Staff.

Official:

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

USASA (2)
CNGB (1)
CC-E (7)
Dir of Trans (1)
CofEngrs (1)
TSG (1)
CofSptS (1)
USAARENBD (2)
USACDCEA (1)
USACDCCBRA (1)
USACDCCEA (1)
USACDCCEA, (Ft Huachuca) (1)
USACDCOA (1)
USACDCQMA (1)
USACDCTA (1)
USACDCADA (1)
USACDCARMA (1)
USACDCARTYA (1)
USACDCAVNA (1)
USACDCSWA (1)
USACDCEC (10)
USAMC (5)
USCONARC (5)
ARADCOM (5)
ARADCOM Rgn (2)
OS Maj Comd (4)
LOGCOMD (2)
USAMICOM (4)
USASTRATCOM (4)
USAESC (70)
MDW (1)
Armies (2)
Corps (2)
USAC (3)
1st Cav Div (10)
Instl (2) except
  Ft Hancock (4)
  Ft Gordon (10)
  Ft Huachuca (10)
  WSMR (5)
  Ft Carson
  Ft Knox (12)
Svc College (2)
USASCS (40)
USASESCS (5)
USAADS (2)
USAAMS (2)
USAARMS (2)
USAIS (2)
USAES (2)
USATC Armor (2)
USAECFB (2)
USATC Inf (2)
USASTC (2)
Army Dep (2) except
  LBAD (14)
  SAAD (30)
  TOAD (14)
  LEAD (7)
  SHAD (3)
  NAAD (5)
  SVAD (5)
  CHAD (3)
  ATAD (10)
Gen Dep (2)
Sig Sec, Gen Dep (5)
Sig Dep (12)
WRAMC (1)
Army Pic Cen (2)
Sig FLDMS (2)
AMS (1)
USAERDAA (2)
USAERDAW (13)
USACCREL (2)
Units org under fol TOE:
11-57
11-97
11-98
11-117
11-127
11-155
11-157
11-158
11-500(AA-AC)
11-587
11-592
11-597

NG: None.

USAR: None.

For explanation of abbreviations used, see AR 320-50.

☆ U. S. GOVERNMENT PRINTING OFFICE: 1966—254429/1732